

updated Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	34308	driver and (memory same array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 10:22
L2	2715	L1 and substrate and (active same (surface or region))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 10:22
L3	1674	L2 and (line same driver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 10:22
L4	572	L3 and stacked	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 10:22
L5	525	L4 and transistor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 10:22
L6	422	L5 and (first same layer) and (second same layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 10:22
L7	305	L6 and (first same line) and (second same line) and (third same line)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 10:22
L8	31	L7 and x-direction and y-direction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 10:22

L9	34308	driver and (memory same array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 10:22
L10	2715	L9 and substrate and (active same (surface or region))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 10:22
L11	1674	L10 and (line same driver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 10:22
L12	572	L11 and stacked	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 10:22
L13	525	L12 and transistor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 10:22
L14	422	L13 and (first same layer) and (second same layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 10:22
L15	305	L14 and (first same line) and (second same line) and (third same line)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 10:22
L16	31	L15 and x-direction and y-direction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 10:22

L17	12	L16 and "365"/\$7.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 10:22
L18	2534	driver and memory and array and ((line same driver) same group\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 10:22
L19	448	L18 and (reference same voltage) and ((primary or first) same decoder) and ((secondary or second) same decoder)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 10:22
L20	416	L19 and (memory same array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 10:22
L21	108	L20 and (metal\$5 same layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 10:22
L22	74	L21 and "365"/\$7.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 10:22
L23	25	L22 and (cross same point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 10:22
L24	0	("6836421").URPN.	USPAT	OR	ON	2005/07/11 10:22
L25	74	L21 and "365"/\$7.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 10:22

L26	1376	1 and 365/230.06.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 11:14
L27	630	1 and 365/63.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 11:15
L28	90	26 and 27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 11:15
L29	0	(driver and ((cross near point) near (memory near array)) and electrical and communication and non-volatile and ((two near terminal) near (cross adj point) near (memory with array)) and (two near metallization near layers)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 11:18